

## Subject Index: Volume 22, 1997

- Abdominal hysterectomy, postoperative analgesia/  
antimetic efficacy of intrathecal neostigmine, 527
- Achondroplasia, epidural anesthesia for ECSWL, 102
- ACTH infusion, for postdural puncture headache, 432
- Adrenal chromaffin cells, antinociceptive properties, 486 (letter)
- Adrenocorticotrophic hormone infusion, for postdural puncture headache, 432
- Air, vs. saline, for loss of resistance technique, 1, 3
- Alfentanil, parasacral sciatic nerve block, 223
- Allodynia  
local methylprednisolone effects on, 59  
in neuropathic pain model, effect of subarachnoid gabapentin on, 249  
stellate ganglion block with phenol for, 257
- Ambulatory surgery, optimizing spinal anesthesia for, 500
- Amputation analgesia, by local anesthetic infusion through nerve sheath catheters, 351
- Analgesia. *See also specific analgesic techniques*  
after knee arthroscopy, 233  
for children. *See Pediatric analgesia*  
herpes zoster, "three-in-one block" for, 575  
incomplete, after epidural space identification, 3  
intrapleural, in esophageal perforation management, 185
- Anesthesia. *See also specific anesthetic techniques*  
sensory level testing, 200 (letter)
- Anesthesiology education, Emery A. Rovenstine and, 273
- Anesthetic spread, epidural volume-pressure-flow relationship and, 167
- Anesthetic technique, neurologic deficit after combined spinal-epidural anesthesia, 479
- Anticoagulation, epidural catheter removal and, 589 (letter)
- Antiemetic efficacy  
after intrathecal neostigmine, 527  
after subarachnoid neostigmine, 337
- Antimicrobial activity, after exposure to bupivacaine with preservatives, 178
- Apnea monitor, noninvasive, 591 (letter)
- Arthroscopy forceps, for removal of torn Racz catheter from lumbar epidural space, 579
- Articaine intravenous regional anesthesia clinical study, 29
- Asystole, during trigger point injections, 583 (letter)
- Atraucan needles, 486 (letter)
- Awake vs. anesthetized block controversy, 584 (letter), 585 (letter), 599 (letter)
- Axillary brachial plexus block  
continuous, for postoperative pain relief, 357  
failed, high plasma mepivacaine levels and, 557  
French residents at time of certification, 218  
teaching, pulse oximetry for, 592 (letter)  
transarterial approach, 293 (letter), 592 (letter)
- Back pain  
after epidural anesthesia  
with 2-chloroprocaine, 299, 303  
with lidocaine, 303  
from distending thoracic zygapophyseal joints, 332  
extended epidural catheter infusions for, 35  
physiology, 395
- Bacteria cultures, from lumbar and caudal epidural catheters, 428
- Beta-cyclodextrin piroxicam with tramadol, analgesic efficacy of, 243
- Bevel direction, hole size/shape during dural puncture and, 267
- Blood flow, intravenous regional mepivacaine and, 552
- Blood levels, of morphine, after epidural administration, 131
- Blood pressure, head-down tilt position for spinal anesthesia and, 239
- Book reviews  
*Anesthesia and Perioperative Care of the Combat Casualty* (Zajtchuk), 493  
*Image-Guided Pain Management* (Thomas), 492  
*Learning to Master Your Chronic Pain* (Jamison), 490  
*Mastering Chronic Pain: A Professional's Guide to Behavioral Treatment* (Jamison), 490  
*Musculoskeletal Pain Emanating from the Head and Neck* (Allen), 597  
*Regional Anesthesia-An Illustrated Procedural Guide* (Mulroy), 491
- Brachial plexus, anatomy, 106 (letter)
- Bradycardia, fetal  
after subarachnoid fentanyl during labor, 378  
combined spinal-epidural analgesia and, 400
- Bupivacaine  
axillary brachial plexus block, continuous, 357  
caudal epidural block, preemptive in children, 125  
distribution, in retromediastinal nerve block, 308  
epidural  
anesthetic efficacy and pharmacokinetics, 451  
cauda equina syndrome and, 447  
in chronic experimental model, 80  
extended catheter infusions, 35  
hyperbaric, subarachnoid, in dogs, 198 (letter)  
hypobaric low-dose spinal, for knee arthroscopy, 534  
interpleural, in esophageal perforation management, 185  
intra-articular  
with morphine, after knee joint replacement, 347  
for postarthroscopy pain relief, 233  
low dose, with single-shot spinal anesthesia, 511  
low-dose spinal, hypobaric, for knee arthroscopy, 534  
patient-controlled vs. bolus administration for postoperative pain, 150  
with preservatives, bactericidal activity of, 178

Bupivacaine (*Continued*)

- spinal anesthesia
  - optimizing for ambulatory surgery, 500
  - sympathetic block during, 325
- stellate ganglion block
  - alleviation of pseudo-obstruction symptoms of hypermetropia, 284
  - with fentanyl, 287
- subarachnoid
  - hyperbaric in dogs, 198 (letter)
  - neurotoxicity of, 198 (letter)
  - with sufentanil, epinephrine effect on, 143
  - sympathetic block, genitofemoral nerve block during, 569
  - "three-in-one block," for postherpetic neuralgia, 575

## Carotid artery surgery

- lidocaine cervical plexus block, clonidine vs. epinephrine in, 137
- superficial and deep cervical plexus block for, 442

## Catheters

- epidural. *See* Epidural catheters
- fascia iliaca, for postoperative pain control after knee arthroplasty, 372
- femoral, knotting of, 486 (letter)
- intrauterine pressure, subarachnoid fentanyl and, 378
- microcatheters, for patient-controlled analgesia vs. bolus administration, 150
- nerve sheath, local anesthetic infusion for amputation analgesia, 351
- spinal, hearing loss after spinal anesthesia and, 539
- torn Racz, removal from lumbar epidural space, 579

## Cauda equina syndrome, following spinal-epidural anesthesia, 447

## Caudal epidural block

- pediatric catheters, bacterial cultures from, 428
- pre- and postincisional, in children, 125

## Central nervous system contamination, reducing risk from spinal needles, 297 (letter)

## Cerebral arteriovenous malformation, incompletely resected, management in parturient, 192

## Cerebrospinal fluid, morphine concentration after epidural administration, 131

## Cervical epidural block, for digital vasculitis of rheumatoid arthritis, 188

## Cervical plexus block

- with lidocaine, clonidine vs. epinephrine in, 137
- superficial and deep, for carotid artery surgery, 442

Cesarean delivery. *See also* Obstetric anesthesia

- anesthesia, for Ehlers-Danlos syndrome II patient, 280
- combined spinal-epidural anesthesia, neurologic deficit after, 479
- emergency incidence, subarachnoid sufentanil with spinal-epidural analgesia and, 400
- incidence, epidural analgesia during labor and, 495
- patient-controlled analgesia with metoclopramide supplementation, 424
- spinal anesthesia, head-down tilt position effect on blood pressure, 239

Children. *See also* Pediatric analgesia

- advocacy vs. patient safety, 205
- phantom limb pain in, 291 (letter), 293 (letter)

## 2-Chloroprocaine

- antagonism of fentanyl analgesia, mediation by opioid receptors, 43
- epidural anesthesia, back pain after, 299
- intravascular epidural catheter detection, 113

## Chung model, effect of subarachnoid gabapentin on allodynia in, 249

## Clonidine

- optimizing spinal anesthesia for ambulatory surgery and, 500
- vs. epinephrine, in lidocaine for cervical plexus block, 137

## Cognitive function, in postanesthesia recovery, 435

## Cold pressor test, for sympathetic block during spinal anesthesia, 325

## Colorectal cancer pain, superior hypogastric plexus block for, 562

## Combined spinal-epidural anesthesia

- cauda equina syndrome after, 447
- optimizing spinal anesthesia for ambulatory surgery and, 500
- technique, 406
- uneventful, neurologic deficit, 479

## Complex regional pain syndrome I, thermal grill illusion and, 257

## Connective tissue disease, Cesarean delivery anesthesia, 280

## Continuous infusion

- bupivacaine axillary brachial plexus block, 357
- parasacral sciatic nerve block, 469
- spinal analgesia, 150
- spinal anesthesia, hearing loss after, 539

## Corticosteroids, nociception in nerve injury model and, 59

## Desflurane with lidocaine, reflex dilatation and, 461

## Diabetes, peripheral vascular surgery, spinal anesthesia oxygen consumption reduction, 53

## Digitalis vasculitis, cervical epidural analgesia for, 188

## Doppler-assisted nerve block, 105 (letter)

## Droperidol, intravenous, postoperative

- analgesia/antiemetic efficacy and, 337

## Dry needling technique, for myofascial pain syndrome, 89

## Dural puncture, hole size/shape, bevel direction effects on, 267

## Dura mater, microscopic structure, 161

ECSWL. *See* Extracorporeal shock wave lithotripsy

## Ehlers-Danlos syndrome II patient, Cesarean delivery anesthesia, 280

## Epidural analgesia

- for incompletely resected cerebral arteriovenous malformation in parturient, 192
- during labor, Cesarean delivery incidence and, 400, 495
- morphine
  - CSF and plasma concentrations after, 131
  - single-injection for pediatric postoperative analgesia, 212
- outcome, following pediatric fundoplication, 16
- with spinal analgesia

- ambulatory, for labor, 143
- Cesarean delivery incidence and, 400
- Epidural anesthesia
  - bupivacaine, anesthetic efficacy and pharmacokinetics, 451
  - with 2-chloroprocaine, back pain after, 299, 303
  - chronic experimental model, 80
  - epidural space localization, complications from, 3
  - for extracorporeal shock wave lithotripsy, in achondroplastic dwarf, 102
  - with general anesthesia for major abdominal surgery, recovery from, 435
  - with lidocaine, back pain after, 303
  - morphine, predisposition to Guillain-Barré syndrome and, 484 (letter)
  - postlumbar puncture headache, needle gauge, tip configuration and, 66
  - ropivacaine, anesthetic efficacy and pharmacokinetics, 451
  - with spinal anesthesia. *See* Combined spinal-epidural anesthesia
  - thoracic, spontaneous postinfarction ventricular dysrhythmia and, 318
  - volume-pressure-flow relationship and, 167
- Epidural blood patching
  - with adrenocorticotrophic hormone infusion, 432
  - late recurrence of postdural puncture headache and, 382
- Epidural catheters
  - infusions
    - disposable, nonmechanical pumps for, 260
    - extended, for noncancer homecare analgesia, 35
    - nonmechanical disposable pumps for, 260
  - intravascular detection, 2-chloroprocaine for, 113
  - lumbar and caudal, bacteria cultures from, 428
  - position testing techniques, 591 (letter)
  - removal in oral anticoagulant patients, 589 (letter)
  - seven-holed, 199 (letter)
- Epidural space
  - identification, 1
  - complications from, 3
  - safety of lost to air technique, 590 (letter)
  - inflow resistance, elevation of, 167
  - posterior depth measurement, 297 (letter)
  - as Starling resistor, 167
- Epinephrine
  - influence on bupivacaine-sufentanil combination, 143
  - spinal anesthesia, optimizing for ambulatory surgery, 500
  - "three-in-one block," for postherpetic neuralgia, 575
  - vs. clonidine in lidocaine for cervical plexus block, 137
- Escherichia coli*, bactericidal activity of bupivacaine with preservatives and, 178
- Esophageal perforation, management, interpleural analgesia for, 185
- Extracorporeal shock wave lithotripsy (ECSWL)
  - epidural air and, 3
  - epidural anesthesia, in achondroplastic dwarf, 102
  - lidocaine spinal anesthesia vs. subarachnoid sufentanil for, 515
  - subarachnoid sufentanil for, 86, 515, 590 (letter)
- Extrathecal injection, unintentional, high plasma mepivacaine levels and, 557
- Fascia iliaca catheters, for postoperative pain control after knee arthroplasty, 372
- Femoral catheter, knotting, 486 (letter)
- Femoral nerve block, French residents at time of certification, 218
- Fentanyl
  - analgesia, antagonism by 2-chloroprocaine, 43
  - extended epidural catheter infusions, 35
  - infiltration of stellate ganglion, efficacy of, 287
  - intrathecal, for optimizing spinal anesthesia, 500
  - subarachnoid, fetal bradycardia and uterine hyperactivity after, 378
  - transdermal, for postoperative pain, 24
- Fetal heart rate
  - after subarachnoid fentanyl during labor, 378
  - combined spinal-epidural analgesia and, 400
- Flow rate, for epidural infusions with disposable nonmechanical pumps, 260
- Fluorescein flowmetry, of interpleural analgesia, 313
- Formalin test, peroneal afferent nerve discharges and, 385 (letter)
- French residency training, survey of regional anesthetic practice, 218
- Fundoplication outcome, epidural vs. opioid analgesia and, 16
- Gabapentin
  - for neuropathic pain in head and neck, 473
  - subarachnoid, effect on allodynia in neuropathic pain model, 249
- Gamma-aminobutyric acid receptor, effect of subarachnoid gabapentin on, 249
- General anesthesia
  - masking spinal injury, 586 (letter)
  - regional anesthetic blocks during, 584 (letter), 585 (letter), 588 (letter)
- Genitofemoral nerve block, incidence during lumbar sympathetic block, 569
- Genitourinary cancer pain, superior hypogastric plexus block for, 562
- Gynecological cancer pain, superior hypogastric plexus block for, 562
- Head and neck pain, neuropathic, gabapentin for, 473
- Head-down tilt position, blood pressure effects after spinal anesthesia, 239
- Head injury, upper extremity spasticity, neurolytic interventions for, 386 (letter)
- Head-up tilt test, for early ambulation prediction, 582 (letter)
- Hearing loss, after spinal anesthesia, 539
- Herpes zoster, "three-in-one block" for, 575
- Hippocampal slice preparation, 2-chloroprocaine opioid receptors effects in, 43
- Hip replacement surgery, patient-controlled vs. bolus bupivacaine administration, 150
- Hyperalgesia, local methylprednisolone effects on, 59

- Hyperemia, postischemic, intravenous regional mepivacaine and, 552
- Hypermetropia, pseudo-obstruction symptoms, stellate ganglion block for, 284
- Infusion pumps
- disposable, for extended epidural catheter infusions, 35
  - implantable, anesthetic application, 593 (letter)
  - nonmechanical disposable, for epidural analgesia, 260
- Inguinal hernia repair, preincisional ketorolac in, 229
- Intermittent bolus, vs. continuous infusion of bupivacaine, 357
- Interpleural analgesia
- in esophageal perforation management, 185
  - sensory and sympathetic block during, 313
- Interscalene block
- French residents at time of certification, 218
  - paresthesia and, 387 (letter)
- Intra-articular injection, of bupivacaine with morphine, after knee joint replacement, 347
- Intrathecal analgesia
- implantable pump, anesthetic application of, 593 (letter)
  - with neostigmine, postoperative analgesia/antiemetic efficacy and, 527
- Intrauterine pressure, subarachnoid fentanyl and, 378
- Intravascular placement, detection using 2-chloroprocaine, 113
- Intravenous analgesia, vs. surgical site analgesia, 229
- Intravenous regional anesthesia
- double-blind randomized clinical study, 29
  - mechanism, demonstration approach for, 387 (letter)
- Ischemic pain, intravenous regional mepivacaine and, 552
- Ketorolac
- with patient-controlled morphine, for postoperative spine surgery patients, 343
  - preincisional, in hernia patients, 229
- Knee arthroplasty
- intra-articular bupivacaine with morphine for, 347
  - postoperative analgesia, fascia iliaca catheters for, 372
- Knee arthroscopy
- optimizing spinal anesthesia for, 500
  - postoperative pain relief, 233
  - spinal anesthesia, low-dose hypobaric bupivacaine for, 534
- Labor analgesia
- combined spinal-epidural, ambulatory, 143
  - epidural analgesia during, Cesarean delivery incidence and, 495
  - for incompletely resected cerebral arteriovenous malformation, 192
  - in patient with spinal muscular atrophy and vocal cord paralysis, 595 (letter)
  - spinal-epidural, with subarachnoid sufentanil, incidence of emergency Cesarean delivery and, 400
  - subarachnoid fentanyl, fetal bradycardia and uterine hyperactivity after, 378
- Laser Doppler flowmetry, of interpleural analgesia, 313
- Lateral decubitus position, nonaxillary roll and, 390 (letter)
- Lidocaine
- cervical plexus block
    - for carotid artery surgery, 442
    - clonidine vs. epinephrine in, 137  - direct action on opioid receptors, 43
  - epidural
    - back pain after, 303
    - in chronic experimental model, 80
    - spontaneous postinfarction ventricular dysrhythmia and, 318  - intraneural uptake, 363
  - intravenous regional anesthesia, double-blind randomized clinical study, 29
  - reflex dilation of pupil and, 461
  - spinal anesthesia
    - optimizing for ambulatory surgery, 500
    - sympathetic block during, 325
    - vs. meperidine, 73
    - vs. subarachnoid sufentanil for ECSWL, 515
- Liposomal encapsulation, in ultra-long-acting local anesthetics, 543
- Local anesthetics. *See also specific local anesthetics*
- cauda equina syndrome and, 447
  - cervical plexus block, for carotid artery surgery, 442
  - continuous infusion via fascia iliaca compartment for knee arthroplasty, 372
  - efficacy and pharmacokinetics, comparative, 451
  - failure to anesthetize median nerve, 73
  - intraneural uptake in pregnancy, 363
  - ultra-long-acting, development of, 543
  - distribution in retromediastinal block, 308
  - dosage, detection of intravascular epidural catheter and, 113
- Loss of resistance to air technique, for epidural space identification, 1, 3
- Lumbar epidural space
- pediatric catheters, bacterial cultures from, 428
  - removal of torn Racz catheter from, 579
- Lumbar plexus blockade
- with continuous local anesthetic infusion, 372
  - perivascular technique, for postherpetic neuralgia, 575
- Median nerve anesthesia failure, with meperidine, 73
- Membrane geometry, needle orientation effects on hole size/shape during dural puncture, 267
- Meninges, microscopic structure of dura mater in, 161
- Meperidine
- with morphine, for perioperative analgesic adjunct for Cesarean delivery, 119
  - spinal anesthesia, vs. lidocaine, 73
- Mepivacaine
- intravenous regional block, interference with hyperemia and blood flow, 552
  - plasma levels, in failed axillary brachial plexus block, 557
- Methylprednisolone, local, effect on nerve injury model, 59
- Metoclopramide
- efficacy, after subarachnoid neostigmine, 337
  - supplementation of postoperative analgesia, 424

- Microcatheters, for patient-controlled analgesia, vs. bolus administration, 150
- Microencapsulation, in ultra-long-acting local anesthetics, 543
- Mood, during postanesthesia recovery, 435
- Morphine
- epidural
    - postinjection CSF and plasma levels, 131
    - single-injection for pediatric postoperative analgesia, 212
  - intra-articular, for postarthroscopy pain relief, 233
  - with intra-articular bupivacaine, after knee joint replacement, 347
  - with meperidine, for perioperative analgesic adjunct for Cesarean delivery, 119
  - patient-controlled
    - ketorolac supplementation and, 343
    - metoclopramide supplementation and, 424
    - subcutaneous, for postarthroscopy pain relief, 233
- Morphine-3-glucuronide, CSF and plasma levels, after epidural morphine administration, 131
- Morphine-6-glucuronide, CSF and plasma levels, after epidural morphine administration, 131
- Myocardial infarction, ventricular dysrhythmia, thoracic epidural anesthesia for, 318
- Myofascial pain syndrome, trigger point management and, 89
- Nalbuphine premedication, for intravascular epidural catheter detection, 113
- Nalmefene, as intravenous alternative to naltrexone for extradural morphine prophylaxis, 291 (letter)
- Neck and head pain, neuropathic, gabapentin for, 473
- Needles
- Atraucan, 486 (letter)
  - combined spinal-epidural, evolution of, 294 (letter)
  - gauge, lumbar puncture headache production and, 66
  - geometric orientation, effects on hole size/shape during dural puncture, 267
  - long-tapered, for reduction of needle stick injury, 157
  - pencil-point, postanesthetic sequelae from, 521
  - Quincke. *See* Quincke needles
  - spinal
    - 27-gauge, postdural puncture headache and, 521
    - reducing CNS contamination risk, 297 (letter)
    - tip study, comments on, 105 (letter)
  - spinal-epidural anesthesia, evolution of, 294 (letter)
  - tip configuration, lumbar puncture headache production and, 66
- Needle stick injury reduction, long-tapered double needle for, 157
- Neostigmine
- intrathecal, postoperative analgesia and antiemetic efficacy after, 527
  - subarachnoid, postoperative analgesia and antiemetic efficacy after, 337
- Nerve blocks. *See also specific nerve blocks*
- Doppler-assisted, 105 (letter)
  - noxious stimuli should not be used for, 487 (letter)
  - for pelvic cancer pain, 562
- Nerve fiber transmission, local methylprednisolone effects on, 59
- Nerve injury, from needle stick, reduction by use of long-tapered double needle, 157
- Nerve-root compression, loss of resistance technique and, 3
- Nerve sheath catheters, for local anesthetic infusion, after amputation, 351
- Nerve stimulator, for piriformis muscle injection, 200 (letter), 488 (letter)
- Neurologic deficit, after uneventful combined spinal-epidural anesthesia for Cesarean delivery, 479
- Neuropathic pain
- in head and neck, gabapentin for, 473
  - model
    - effect of subarachnoid gabapentin on allodynia in, 249
    - local methylprednisolone effects, 59
- Nonaxillary roll, lateral decubitus position and, 390 (letter)
- Obstetric analgesia. *See* Labor analgesia
- Obstetric anesthesia, detection of intravascular epidural catheter placement, 113
- Obturator nerve, anesthesia, with parasacral sciatic nerve block, 223
- Opioid receptors, 2-chloroprocaine antagonism of fentanyl analgesia and, 43
- Opioids. *See also specific opioids*
- analgesia
    - after knee arthroscopy, 233
    - intravenous, for fundoplication, outcome of, 16
  - side effects, propofol for, 483 (letter)
  - spinal-epidural, 406
  - subarachnoid, perioperative analgesic adjunct for Cesarean delivery, 119
- Orthopedic surgery, subarachnoid neostigmine, postoperative analgesia and antiemetic efficacy after, 337
- Oxygen extraction, postspinal, in diabetic peripheral vascular surgery patients, 53
- Pain control. *See* Analgesia
- Panic disorder, asystole during trigger point injections, 583 (letter)
- Parasacral sciatic nerve block
- clinical utility, 223
  - continuous, case reports of, 469
- Paresthesia
- incomplete, after epidural space identification, 3
  - interscalene block and, 387 (letter), 388 (letter)
- Patient-controlled analgesia
- with meperidine, vs. meperidine-morphine combination, 119
  - with morphine
    - ketorolac supplementation and, 343
    - metoclopramide supplementation and, 424
  - vs. bolus bupivacaine administration, 150
- Pediatric analgesia
- epidural, for fundoplication, outcome of, 16
  - lumbar and caudal epidural catheters, bacteria cultures from, 428



Pediatric analgesia (*Continued*)

- postoperative, single-injection lumbar epidural morphine for, 212
- preemptive, 125
- Pelvic cancer pain, superior hypogastric plexus block for, 562
- Pencil-point needles, postanesthetic sequelae, 521
- Perioperative analgesia
  - subarachnoid meperidine-morphine, 119
  - with tramadol and beta-cyclodextrin piroxicam, 243
- Peripheral nerve block, French residents at time of certification and, 218
- Peripheral nerve stimulator, for periformis muscle injection, 200 (letter), 488 (letter)
- Peripheral vascular surgery, in diabetic patients, spinal anesthesia oxygen consumption reduction, 53
- Peroneal afferent nerve discharges, formalin test and, 385 (letter)
- Phantom limb pain
  - in children, 291 (letter)
  - nerve sheath catheters for local anesthetic infusion, after amputation, 351
  - with probable reflex sympathetic dystrophy, 287
- Pharmacokinetics of morphine, after epidural administration, 131
- Piriformis muscle injection, using nerve stimulator, 200 (letter), 488 (letter)
- Pneumocephalus, loss of resistance technique and, 3
- Polymers, in ultra-long-acting local anesthetics, 543
- Postdural puncture headache
  - adrenocorticotrophic hormone infusion for, 432
  - after using 27-gauge spinal needles, 521
  - bevel direction and, 267
  - dura mater microscopic structure and, 161
  - late recurrence of, 382
  - production, needle gauge and tip configuration in, 66
  - spinal-epidural anesthesia and, 406
- Posttherapeutic neuralgia, "three-in-one block" for, 575
- Postoperative analgesia
  - after subarachnoid neostigmine, efficacy of, 337
  - continuous axillary brachial plexus block for, 357
  - fascia iliaca catheters for, 372
  - for knee arthroscopy, 233
  - local anesthetic infusion through nerve sheath catheters, 351
  - pediatric, single-injection lumbar epidural morphine for, 212
  - preincisional ketorolac in hernia patients and, 229
  - transdermal fentanyl, 24
- Postoperative morbidity, from pediatric fundoplication, epidural vs. opioid analgesia and, 16
- Preemptive analgesia, in children, 125
- Pregnancy
  - with Ehlers-Danlos syndrome, Cesarean delivery anesthesia, 280
  - intraneural lidocaine uptake, 363
- Preservatives, in bupivacaine, bactericidal activity and, 178
- Prilocaine, intravenous regional anesthesia clinical study, 29
- Propofol
  - efficacy, after subarachnoid neostigmine, 337
  - for opioid-induced side effects, 483 (letter)
- Pseudo-obstruction syndrome, after hypermetropia, stellate ganglion block alleviation of, 284
- Pulse oximetry, for teaching axillary nerve block, 592 (letter)
- Pupil size, lidocaine and, 461
- Quality assurance, in regional anesthesia training, 209
- Quincke needles, 486 (letter)
  - bevel direction and hole size/shape during dural puncture, 267
  - 27-gauge, postanesthetic sequelae after, 521
- Rabbit model, of chronic epidural anesthesia, 80
- Racz catheter, torn, removal from lumbar epidural space, 579
- Radiofrequency coagulation, in stellate ganglion block, for pseudo-obstruction symptoms, 284
- Rats, intraneural lidocaine uptake, 363
- Recovery, postanesthesia characteristics, 435
- Reflex dilation, lidocaine and, 461
- Reflex sympathetic dystrophy, thermal grill illusion and, 257
- Regional anesthesia
  - bilateral fascia iliaca catheter technique for, 372
  - Emery A. Rovenstine and, 273
  - in general anesthesia patients, 584 (letter), 585 (letter), 588 (letter)
  - needle stick injury, reduction by long-tapered double needle, 157
  - postoperative cauda equina syndrome, 447
  - thromboprophylaxis and, 588 (letter)
  - training, quality assurance in, 209
- Regional pain, trigger point management for, 89
- Retromediastinal nerve block, distribution of local anesthetic solutions in, 308
- Rheumatoid arthritis pain, cervical epidural analgesia for, 188
- Ropivacaine, epidural anesthetic efficacy and pharmacokinetics, 451
- Rovenstine, Emery A., 273
- Sacral plexus, blockade, with parasacral sciatic nerve block, 223
- Saline, vs. air, for loss of resistance technique, 1, 3
- Scanning electron microscopy, of dura mater structure, 161
- Sciatic nerve block
  - French residents at time of certification, 218
  - lidocaine uptake during pregnancy, 363
- Science, and reality, 109
- Sheep, local anesthetic efficacy and pharmacokinetics in, 451
- Sphenopalatine ganglion block technique, 483 (letter)
- Spinal analgesia
  - continuous, 150
  - with epidural analgesia
    - ambulatory, for labor, 143
    - incidence of emergency Cesarean delivery and, 400
- Spinal anesthesia
  - bupivacaine, for knee arthroscopy, 534

- Cesarean delivery for Ehlers-Danlos syndrome, 280  
 continuous, hearing loss after, 539  
 in diabetic patients, oxygen consumption reduction and, 53  
 early ambulation prediction, 582 (letter)  
 with epidural anesthesia. *See* Combined spinal-epidural anesthesia  
 head-down tilt position, blood pressure effects of, 239  
 lidocaine, vs. subarachnoid sufentanil for ESWL, 515  
 membrane puncture variables and, 267  
 optimizing, for ambulatory surgery, 500  
 postanesthesia sequelae. *See* Postdural puncture headache  
 single-dose  
   hearing loss after, 539  
   with small doses of bupivacaine, 511  
 subarachnoid  
   for extracorporeal shock wave lithotripsy, 86  
   gabapentin, effect on allodynia in neuropathic pain model, 249  
   meperidine-morphine combination for, 119  
   neostigmine, postoperative analgesia and antiemetic efficacy after, 337  
   sufentanil, vs. lidocaine spinal anesthesia for ESWL, 515  
   sufentanil, for extracorporeal shock lithotripsy, 590 (letter)  
   sympathetic block, with lidocaine, tetracaine and bupivacaine, 325  
   unilateral, 594 (letter)  
   venous capacitance changes in lower extremities during, 489 (letter)  
 Spinal catheters, hearing loss after spinal anesthesia and, 539  
 Spinal cord compression, loss of resistance technique and, 3  
 Spinal-epidural anesthesia needles, combined, evolution of, 294 (letter)  
 Spinal fusion, patient-controlled morphine, adjunctive ketorolac and, 343  
 Spinal injury, masked by general anesthesia, 586 (letter)  
 Spinal introducer, new type of, 296 (letter)  
 Spinal muscular atrophy, labor analgesia/anesthesia with, 595 (letter)  
 Spinal needle tips, study, comments on, 105 (letter)  
 Spinal opioids, 406  
*Staphylococcus aureus*, bactericidal activity of bupivacaine with preservatives and, 178  
*Staphylococcus epidermidis*, bactericidal activity of bupivacaine with preservatives and, 178  
 Starling resistance, in epidural space, 167  
 Stellate ganglion block  
   for cold allodynia, 257  
   for phantom pain with probable reflex sympathetic dystrophy, 287  
   pseudo-obstruction symptoms after hypermetropia, 284  
 Stretch and spray technique, for myofascial pain syndrome, 89  
 Subarachnoid anesthesia. *See* under Spinal anesthesia  
 Sufentanil  
   with bupivacaine, epinephrine effect on, 143  
   subarachnoid  
     for extracorporeal shock wave lithotripsy, 86, 590 (letter)  
     with spinal-epidural analgesia, incidence of emergency Cesarean delivery and, 400  
     vs. lidocaine spinal anesthesia for ESWL, 515  
 Superior hypogastric plexus block, for chronic pelvic cancer pain, 562  
 Surgical site analgesia, vs. intravenous analgesia, 229  
 Sympathectomy, genitofemoral nerve block incidence during, 569  
 Sympathetic block  
   genitofemoral nerve block incidence during, 569  
   during interpleural analgesia, 313  
   during spinal anesthesia, with lidocaine, tetracaine and bupivacaine, 325  
   of stellate ganglion, for phantom limb pain, 287  
 Terbutaline, for uterine contractions, 378  
 Tetracaine spinal anesthesia  
   oxygen consumption in diabetic patients and, 53  
   sympathetic block during, 325  
 Thermal grill illusion, complex regional pain syndrome I and, 257  
 Thoracic epidural anesthesia, spontaneous postinfarction ventricular dysrhythmia and, 318  
 Thoracic zygapophyseal joint distention, pain patterns in, 332  
 Tramadol with beta-cyclodextrin piroxicam, analgesic efficacy of, 243  
 Transcutaneous electrical nerve stimulation, for myofascial pain syndrome, 89  
 Transdermal pain relief, fentanyl, for postoperative pain, 24  
 Trans-sartorial saphenous nerve block, clinical utility, 223  
 Trigger point injections  
   for myofascial pain during epidural analgesia for labor, 466  
   for myofascial pain syndrome, 89  
 Unilateral anesthesia, spinal, 594 (letter)  
 Upper extremity spasticity, neurolytic interventions for, 386 (letter)  
 Urinary bladder sensation, for early ambulation prediction, 582 (letter)  
 Uterine hyperactivity, after subarachnoid fentanyl during labor, 378  
 Venous air embolism, loss of resistance technique and, 3  
 Ventilation monitoring system, in nonintubated subjects, 591 (letter)  
 Ventricular dysrhythmia, thoracic epidural anesthesia and, 318  
 Vocal cord paralysis, labor analgesia/anesthesia with, 595 (letter)  
 Volume-pressure-flow relationship, epidural space pressure and, 167  
 Zygapophyseal joint distention, pain patterns in, 332

## Author Index: Volume 22, 1997

- Abouleish, Ezzat I., 591  
 Abram, Stephan E., 385  
 Alberink, N., 29  
 Albert, Michael, 229  
 Albright, George A., 400  
 Aldrete, J. Antonio, 35, 260, 590  
 Allen, Nicholas B., 435  
 Allende, Silvia, 562  
 Andersson, L.C., 106  
 Asai, Takashi, 592  
 Ashikaga, Takamaru, 113  
 Ask, Anna-Lena, 451  
 Auroy, Y., 218  
 Axelsson, K., 447  
  
 Bacon, Douglas R., 273  
 Badner, Neal H., 347  
 Baer, Gerhard A., 308  
 Bakhit, Cyrus E., 579  
 Baudrimont, Marielle, 80  
 Bausch, Suzanne, 43  
 Beardsley, David, 325  
 Ben-David, Bruce, 390  
 Bengtsson, M., 447  
 Benhamou, Dan, 218, 486  
 Bennett, Gary J., 59  
 Bernard, Jean-Marc, 80  
 Bernstein, Ira, 192  
 Betancourt, Jairo, 233  
 Bikhazi, George B., 24  
 Birnbach, David J., 424  
 Björhn, K.C., 552  
 Bjorksten, Andrew R., 461  
 Blyth, Carolyn, 442  
 Boas, Robert A., 167  
 Bode, R.H., Jr., 53  
 Bonnet, F., 511  
 Bosnjak, Zeljko, 318  
 Bouaziz, Hervé, 218, 486  
 Bourne, Robert B., 347  
 Bozkurt, Pervin, 212  
 Brismar, Bo, 313  
 Broadman, L.M., 205  
 Bromage, Philip R., 586, 590  
 Butterworth, John, 73  
  
 Cain, Charles F., 378  
 Calkins, Ma'k D., 543  
 Calvillo, Octavio, 257  
 Camann, William R., 466  
 Carpenter, Randall, 488  
 Carr, Daniel B., 233  
  
 Carrie, Len E.S., 486  
 Casati, Andrea, 594  
 Castiglia, Yara Marcondes Machado, 198  
 Çelebi, Hüyla, 387  
 Cepeda, M. Soledad, 233  
 Chavkin, Charles, 43  
 Chestnut, David H., 495  
 Chhibber, Ashwani K., 515  
 Chung, James H., 119  
 Coda, Barbara, 43  
 Collier, Clive, 199, 484  
 Connelly, Neil Roy, 229, 343  
 Cook, Russel J., 442  
 Coppelleri, Gianluca  
 Cornish, Philip B., 106  
 Crowhurst, John A., 406  
  
 d'Amours, Ray H., 493  
 Dan, Kenjiro, 178  
 Danzer, Brett L., 424  
 Darwish, Hussain, 273  
 Datta, Sanjay, 66  
 Davidson, Elyad, 385  
 Davies, Michael J., 137, 442  
 Dean, Caron, 385  
 Debry, François, 143  
 Dechert, Martha, 461  
 De Laat, Martine, 284  
 De Leon-Casasola, Oscar A., 562  
 De Rosayro, Michael, 188  
 DeSio, John M., 24  
 Devulder, Jacques, 284  
 Dittmann, Martin, 161  
 Dominguez, Carmen L., 378  
 Doucette, Ann Marie, 451  
 Doyle, Jacqueline A., 347  
 Drolet, Pierre, 303  
 Dumand, Jean-Bernard, 80  
 Dust, William N., 223  
 Dvoskin, Sofya, 451  
 Dwivedi, S.N., 582  
  
 Eaton, Michael P., 86, 515  
 Eintrei, Christina, 131  
 Ekblom, Anders, 486  
 Eldor, Joseph, 294  
 El-Helaly, Mai, 562  
 Elias, Mazin, 105, 483  
 Enneking, F. Kayser, 351  
 Esch, J. Schulte am, 150  
  
 Fanard, Luc, 143  
 Fanelli, Guido, 594  
 Farber, Neil E., 16, 428  
 Feldman, Hal S., 451  
 Fermo, Leonda, 119  
 Ferrante, F. Michael, 492  
 Filadora, Victor A., II, 473  
 Fishman, Eric Brian, 200  
 Flanagan, Michael T., 73  
 Folk, Jeffrey W., 487  
 Forster, Richard M., 400  
 Foster, Patrick A., 432  
 Fox, Harold E., 378  
 Frey, Kere, 325  
 Friedlander, Jeffrey D., 378  
 Frizelle, Henry P., 593  
 Fukui, Sei, 332  
  
 Ganem, Eliana Marisa, 198  
 Garcia, Andrés López, 161  
 Gatt, Stephen, 199  
 Gautier, Philippe E., 143  
 Gentili, M., 511  
 Gerancher, J.C., 488  
 Gielen, M.J.M., 29  
 Golden, Samuel, 595  
 Goldstein, Marilyn, 280  
 Gologorsky, Edward, 387  
 Gomes, J.M.A., 527  
 Green, Carmen René, 188  
 Green, Donald R., 515  
 Günaydin, Berrin, 387  
 Gupta, A., 447  
 Gurmarnik, Simon, 296  
  
 Haas, Mark, 43  
 Hadžić, A., 575  
 Hahn, Robert G., 313  
 Haindl, Hans, 105  
 Halldin, Magnus H., 451  
 Han, Stephanie C., 89  
 Hanania, Michael, 200  
 Handley, Gerard M., 435  
 Harrison, Patricia, 89  
 Hashimoto, Keishi, 198  
 Heavner, James E., 257  
 Hertwig, Linda, 66  
 Hertz, R., 575  
 Ho, John W.S., 125  
 Hody, Jean-Luc, 143  
 Hoffman, George B., 16  
 Hoffman, Joan, 569



- Hoffmann, Vincent L.H., 297  
Hogan, Quinn, 318, 395  
Holman, Stephen, 325  
Holmström, Björn, 406  
Houssel, P., 511  
Hurley, Ronald J., 66  
Hwang, Jai Hyun, 249
- Ishino, Hiroyuki, 178
- Johansson, Arne, 59  
Jokinen, Mika, 521
- Kalman, S., 131, 552  
Kao, Tzu-Cheng, 325  
Katz, J., 291  
Kaulm, H.L., 582  
Kaya, Güner, 212  
Kempen, Paul M., 267, 585  
Khambatta, Hoshang J., 125  
Kim, Philip S., 597  
Kitajima, Toshimitsu, 592  
Kline, Mark D., 543  
Knight, Brian, 485  
Kochs, E., 150  
Kondamuri, Shanu, 3  
Kopacz, Dan, 209  
Korkeila, Jaakko E., 534  
Kowal, Andrew G., 584  
Kristensen, E.A., 86  
Kshatri, Atulkumar M., 432  
Kubina, P., 447  
Kulier, Alexander H., 318  
Kull, Karl, 308  
Kuroda, Maxine M., 424  
Kurz, Andrea, 461  
Kuusniemi, Kristiina S., 534  
Kuzma, Paul J., 543
- Lamberg, Tommi, 539  
Lambert, Donald H., 66  
Lang, Scott A., 223, 469  
Larson, Merlin D., 461  
Lauretti, G.R., 243, 337, 527  
Leeson, S., 363  
Lehmann, Lance J., 24  
Lema, Mark J., 293, 473, 562  
Lepage, Jean-Yves, 80  
Lewis, K.P., 53  
Lima, I.C.P.R., 243  
Lipfert, Peter, 489  
Lisander, B., 552  
Liu, Spencer S., 325, 500  
Loev, Marc, 491  
Longo, Stephen R., 372  
Loubser, Paul G., 386
- MacSullivan, Roisin, 593  
Main, A., 185  
Malinovsky, Jean-Marc, 80
- Manchikanti, Laxmaiah, 579  
Marques, Mariângela, 198  
Marttila, Timo, 539  
Maruyama, Masaaki, 157  
Mattos, A.L., 243, 527  
McDavid, Andrew J., 291  
McNeely, James K., 16, 428  
Mercier, Frédéric J., 218, 486  
Metcalf, Kerstin, 131  
Mezzatesta, J.P., 357  
Mikat-Stevens, Marianne, 325  
Miller, Robert, 280  
Miner, Marguerite, 473  
Miyabe, Masayuki, 239  
Mocek, Christopher K., 267  
Molnar, Rowan R., 137  
Monnier, B., 511  
Mooney, Patricia H., 137, 435, 442  
Moore, Daniel C., 293, 388  
Moore, W.J., 53  
Morris, Gary F., 223, 469  
Motamed, Cyrus, 486  
Müller, M., 150  
Muralidhar, V., 582
- Narchi, P., 218  
Neal, Joseph M., 109  
Nguyen, Thomas T., 102  
Nomura, Toshiyuki, 557  
Novalija, Enis, 318
- O'Connor, Therese C., 385  
Ohmura, Shigeo, 557  
Ohseto, Kiyoshige, 332  
Öktem, Cengiz, 387  
Okuda, Yasuhisa, 592  
Oscarsson, A., 447  
Osinubi, Omowunmi Y.O., 3
- Paech, M.J., 479  
Page, David, 229  
Pang, Leila M., 125  
Papadakis, Peter J., 102  
Perbeck, Lief, 313  
Pereira, N.L., 527  
Perkins, Frederick M., 589  
Pettersson, Nils, 313  
Philip, James H., 167  
Pierce, E.T., 53  
Pihlajamäki, Kalevi K., 534  
Pitkänen, Mikko T., 106, 521, 534, 539  
Plancarte, Ricardo, 562  
Popitz-Bergez, F.A., 363  
Poupard, M., 218  
Puolakka, Risto, 521
- Racz, Gabor B., 257  
Radson, Ellyn A., 351  
Ramamurthy, Somayaji, 569
- Rathmell, James P., 113  
Rawal, Narinder, 406  
Reina, Miguel Angel, 161  
Reis, M.P., 337  
Reuben, Scott S., 229, 343  
Rocco, Angelo G., 167  
Rolly, Georges, 284  
Rorabeck, Cecil H., 347  
Rosenberg, Per H., 106, 308, 521, 539  
Rugeles, Jose, 233  
Rundshagen, I., 150  
Rusy, Lynn M., 16, 428
- Saberski, Lloyd R., 3  
Sabnis, Lata U., 102  
Saff, G.N., 575  
Saiyed, Moin, 588  
Sakura, Shinichi, 198  
Sakuragi, Tadakazu, 178  
Samarütel, Jüri, 308  
Sand, Juhani, 308  
Sato, Shigehito, 239  
Sayson, Samuel C., 569  
Scarborough, Mark T., 351  
Schug, Stephan A., 382  
Schweitzer, Stanley A., 357, 435  
Schweitzer, T. Warren, 584  
Scott, David A., 137, 167, 357, 442  
Scott, D.B., 1  
Selander, D.E., 357  
Senlis, H., 511  
Sessler, Daniel L., 461  
Sevarino, Ferne B., 119  
Shibata, Keizo, 557  
Shiotani, Masahiro, 332  
Sidebotham, David, 382  
Siegfried, Richard N., 125  
Silbert, Brendan S., 137, 435, 442  
Simon, M.A.M., 29  
Simsa, Jaromir, 297  
Sinatra, Raymond S., 119  
Sist, Thomas C., 473  
Smiley, Richard M., 378  
Smirnof, Konstantin, 390  
Spencer, Robert F., 483  
Spevak, Christopher, 583  
Staats, Peter S., 543, 584  
Standl, T., 150  
Stanley, G.D., 53  
Stein, Deborah J., 424  
Steinberg, Robert, 343  
Sternberg, Timothy L., 487  
Stevens, Rom A., 299, 325  
Strichartz, G.R., 363  
Stuart, Anthony L., 291  
Stühmeier, Klaus-Dieter, 489  
Sun, Lena S., 125
- Tayefeh, Farzin, 461  
Tenicella, Ruben A., 387

Thalhammer, J.G., 363

Tholen, E.K., 552

Thys, Daniel M., 424, 575

Trentadue, Noreen C., 428

Tsen, Lawrence C., 466

Turner, Lawrence A., 318

Uribe, Carlos, 233

Valente, Maria, 260

Van der Wal, Michael, 223

Vane, Luiz Antonio, 198

Van Egmond, J., 29

Van Steenberge, Albert, 143

Van Zundert, André, 161, 406

Veillette, Yves, 303

Vercauteren, Marcel P., 297

Vianna, Pedro Thadeu Galvão, 198

Viscomi, Christopher M., 113, 192

Vloka, J.D., 575

Vree, T.B., 29

Walker, Francis O., 73

Wassef, Medhat R., 287, 592

Wedel, Denise J., 588

Weston, Lucy A., 595

White, J. Lee, 325

Williams, Daniel P., 372

Willoughby, Ernest, 382

Wilsey, Barth, 490

Wilson, James, 192

Wu, Christopher L., 589

Yaksh, Tony L., 249

Yamamoto, Ken, 557

Yeker, Yüksel, 212

Zarzur, Edmundo, 591

